

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
1	110124000001698	311	1	6.03	14	14.06	8	6.67	6	28
2	110124000001547	312	1	5.53	14	12.85	10	8.53	15	39
3	110124000000853	313	1	6.38	10	14.9	6	7.84	10	26
4	110124000001635	314	1	6.54	8	14.12	8	7.68	10	26
5	110124000001748	315	1	6.06	14	12.26	12	8.73	15	41
6	110124000000810	316	1	6.17	12	15.31	6	8.32	12	30
7	110124000000698	317	1	6.16	12	13.46	10	8.13	12	34
8	110124000001331	318	1	5.31	16	12.42	12	8.84	15	43
9	110124000001462	319	1	6.16	12	13.64	8	8.53	15	35
10	110124000001380	320	1	5.51	14	14.29	8	7.33	10	32
11	110124000000824	321	2	6.41	10	14.62	6	7.2	8	24
12	110124000001536	322	2	6.21	12	14.07	8	8.54	15	35
13	110124000001270	323	2	5.31	16	14.65	6	7.44	10	32
14	110124000000763	324	2	6.22	12	14.74	6	7.07	8	26
15	110124000001551	325	2	5.25	18	12.63	10	8.85	15	43
16	110124000001816	326	2	5.26	18	12.9	10	7.1	8	36
17	110124000001848	327	2	5.48	16	13.65	8	9.45	15	39
18	110124000001526	328	2	5.29	18	14.19	8	7.6	10	36
19	110124000000704	329	2	6.28	12	13.13	10	7.89	10	32
20	110124000001729	330	2	5.44	16	15.06	6	6.47	6	28
21	110124000000954	331	3	5.55	14	13.27	10	8.2	12	36
22	110124000000966	332	3	5.18	18	12.51	10	8.91	15	43
23	110124000001836	333	3	5.26	18	13.25	10	8.36	12	40
24	110124000000819	334	3	5.29	18	13.8	8	7.52	10	36
25	110124000001008	335	3	5.24	18	13.3	10	8.06	12	40
26	110124000000865	336	3	6.34	10	13.58	8	8.38	12	30
27	110124000000679	337	3	7.12	5	14.72	6	7.31	10	21
28	110124000000680	338	3	6.1	14	13.58	8	7.74	10	32
29	110124000001226	339	3	5.38	16	12.28	12	8.68	15	43
30	110124000001222	340	3	6.21	12	13.81	8	8.01	12	32
31	110124000001495	341	4	6.23	12	13.22	10	8.44	12	34
32	110124000001647	342	4	5.42	16	12.64	10	7.39	10	36
33	110124000001467	343	4	6.33	10	14.51	6	7.02	8	24
34	110124000001556	344	4	6.23	12	14.07	8	7.57	10	30
35	110124000001117	345	4	6.12	12	13.83	8	8.64	15	35
36	110124000001421	346	4	5.27	18	13.47	10	8.75	15	43
37	110124000001527	347	4	6.08	14	12.94	10	9.34	15	39
38	110124000001845	348	4	5.07	20	11.81	12	8.72	15	47
39	110124000001846	349	4	6.09	14	12.82	10	9.04	15	39
40	110124000001516	350	4	6.11	12	14.01	8	7.86	10	30
41	110124000001445	351	5	6.32	10	14.07	8	8.55	15	33
42	110124000001827	352	5	6.12	12	12.99	10	8.53	15	37
43	110124000001834	353	5	5.41	16	13.17	10	8.13	12	38
44	110124000001248	354	5	5.45	16	13.63	8	8.5	15	39



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
45	110124000001251	355	5	5.33	16	14.09	8	7.52	10	34
46	110124000000697	356	5	6	14	12.98	10	8.6	15	39
47	110124000001682	357	5	6.52	8	13.09	10	8.58	15	33
48	110124000001766	358	5	6.39	10	13.19	10	8.58	15	35
49	110124000001328	359	5	7.12	5	17.78	0	4.16	2	7
50	110124000001717	360	5	5.38	16	13.02	10	8.46	12	38
51	110124000000829	361	6	6.37	10	15.9	4	5.74	5	19
52	110124000001575	362	6	6.57	8	15.11	6	8.87	15	29
53	110124000001843	363	6	6.26	12	15.29	6	6.34	6	24
54	110124000001154	364	6	7.13	5	13.63	8	8.8	15	28
55	110124000001760	365	6	5.06	20	13.25	10	7.06	8	38
56	110124000001415	366	6	6.2	12	14.11	8	8.68	15	35
57	110124000001084	367	6	5.58	14	14.38	8	7.22	8	30
58	110124000001811	368	6	5.34	16	12.81	10	7.15	8	34
59	110124000001886	369	6	5.44	16	12.79	10	8.25	12	38
60	110124000001253	370	6	6.32	10	13.85	8	8.63	15	33
61	110124000000877	371	7	5.53	14	14.19	8	7.95	12	34
62	110124000001262	372	7	5.32	16	13.28	10	8.75	15	41
63	110124000001052	373	7	5.47	16	14.37	8	7.83	10	34
64	110124000001260	374	7	6	14	13.79	8	8.74	15	37
65	110124000001856	375	7	5.59	14	15.8	4	6.71	8	26
66	110124000001383	376	7	8.34	0	14.81	6	6.94	8	14
67	110124000001753	377	7	5.54	14	13.9	8	7.16	8	30
68	110124000001772	378	7	6.52	8	15.35	6	7.41	10	24
69	110124000000747	379	7	7.32	0	15.22	6	7.35	10	16
70	110124000001487	380	7	6.49	10	14.11	8	8.69	15	33
71	110124000001367	381	8	6.53	8	13.56	8	6.54	6	22
72	110124000001217	382	8	6.25	12	14.99	6	9.07	15	33
73	110124000001691	383	8	5.35	16	16.82	1	8.44	12	29
74	110124000001690	384	8	6.54	8	13.85	8	9.2	15	31
75	110124000000833	385	8	6.07	14	12.86	10	8.9	15	39
76	110124000001552	386	8	5.54	14	13.71	8	8.13	12	34
77	110124000001557	387	8	5.5	16	12.41	12	9.02	15	43
78	110124000001048	388	8	NA	0	15.61	4	7.73	10	14
79	110124000001049	389	8	6.06	14	14.24	8	7.87	10	32
80	110124000000882	390	8	5.47	16	14.11	8	8.9	15	39
81	110124000000850	391	9	5.41	16	13.57	8	8.42	12	36
82	110124000001194	392	9	5.29	18	12.9	10	8.59	15	43
83	110124000001032	393	9	5.21	18	12.36	12	8.22	12	42
84	110124000001498	394	9	6.06	14	14.31	8	7.61	10	32
85	110124000000941	395	9	5.59	14	12.99	10	9.07	15	39
86	110124000001842	396	9	5.59	14	14.44	8	8.4	12	34
87	110124000001304	397	9	6.05	14	14.79	6	6.82	8	28
88	110124000001589	398	9	6	14	13.71	8	8.47	12	34



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*


**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
89	110124000000929	399	9	6.27	12	13.18	10	8.12	12	34
90	110124000000775	400	9	6.43	10	14.14	8	8.87	15	33
91	110124000000926	401	10	6.56	8	14.69	6	6.2	6	20
92	110124000000761	402	10	6.17	12	15.01	6	8.32	12	30
93	110124000001300	403	10	5.42	16	14.86	6	7.9	12	34
94	110124000001296	404	10	5.31	16	13.8	8	6.75	8	32
95	110124000001763	405	10	6.27	12	15.32	6	7	8	26
96	110124000001362	406	10	6.24	12	15.68	4	6.08	5	21
97	110124000001363	407	10	5.5	16	12.4	12	8.39	12	40
98	110124000001361	408	10	5.55	14	14.13	8	6.97	8	30
99	110124000001011	409	10	6.02	14	13.43	10	8.94	15	39
100	110124000001346	410	10	8.25	0	17.75	0	6.07	5	5
101	110124000000718	411	11	6.17	12	14.15	8	7.8	10	30
102	110124000001653	412	11	5.35	16	12.73	10	8.68	15	41
103	110124000001494	413	11	5.33	16	13.58	8	8.89	15	39
104	110124000001490	414	11	6.03	14	12.44	12	8.93	15	41
105	110124000001491	415	11	5.45	16	12.73	10	8.53	15	41
106	110124000001492	416	11	6	14	12.72	10	8.23	12	36
107	110124000001493	417	11	5.49	16	13.34	10	7.04	8	34
108	110124000001343	418	11	6.32	10	16.2	4	6.52	6	20
109	110124000000910	419	11	6.33	10	13.3	10	6.89	8	28
110	110124000001558	420	11	6.02	14	14.24	8	7.96	12	34
111	110124000001040	421	12	6.51	8	14.43	8	6.28	6	22
112	110124000001817	422	12	6.19	12	14.02	8	8.7	15	35
113	110124000001818	423	12	6.45	10	14.89	6	8.65	15	31
114	110124000001131	424	12	5.39	16	13.65	8	7.43	10	34
115	110124000000673	425	12	5.53	14	13.31	10	8.51	15	39
116	110124000000681	426	12	8.17	0	14.89	6	6.92	8	14
117	110124000001874	427	12	5.22	18	12.17	12	7.58	10	40
118	110124000001096	428	12	6.43	10	14.53	6	6.93	8	24
119	110124000001824	429	12	5.17	18	13.15	10	8.62	15	43
120	110124000001337	430	12	5.43	16	12.68	10	8.6	15	41
121	110124000001079	431	13	7.21	5	14.38	8	6.4	6	19
122	110124000001680	432	13	5.31	16	13.34	10	7.94	12	38
123	110124000001428	433	13	5.35	16	12.84	10	8.58	15	41
124	110124000000871	434	13	5.37	16	13.31	10	8.44	12	38
125	110124000001158	435	13	5.47	16	13.74	8	8.52	15	39
126	110124000000742	436	13	5.21	18	11.98	12	8.78	15	45
127	110124000000743	437	13	5.35	16	12.7	10	8.53	15	41
128	110124000000854	438	13	5.44	16	13.83	8	8.46	12	36
129	110124000000834	439	13	7.53	0	14.27	8	8.9	15	23
130	110124000000764	440	13	NA	0	14.37	8	7.91	12	20
131	110124000001315	441	14	5.46	16	12.45	12	7.37	10	38
132	110124000001150	442	14	5.21	18	12.58	10	8.72	15	43



NA - NOT ATTEMPTED





**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
133	110124000001389	443	14	7.26	5	14.75	6	6.75	8	19
134	110124000001267	444	14	5.29	18	12.21	12	8.43	12	42
135	110124000000860	445	14	6.29	12	13.51	8	8.44	12	32
136	110124000001619	446	14	6.43	10	14	8	8.78	15	33
137	110124000001566	447	14	6.07	14	13.87	8	7.94	12	34
138	110124000001167	448	14	5.34	16	12.56	10	9	15	41
139	110124000001878	449	14	7.24	5	13.99	8	8.15	12	25
140	110124000001882	450	14	6.38	10	12.85	10	7.52	10	30
141	110124000001097	451	15	5.57	14	15.97	4	5.85	5	23
142	110124000001688	452	15	6.59	8	15.34	6	5.95	5	19
143	110124000001744	453	15	6.02	14	14.14	8	8.89	15	37
144	110124000001750	454	15	6.16	12	14.3	8	7.26	8	28
145	110124000001847	455	15	NA	0	16.6	1	5.8	5	6
146	110124000001839	456	15	6.19	12	14.49	8	6	5	25
147	110124000000734	457	15	5.57	14	13.15	10	7	8	32
148	110124000000851	458	15	6.34	10	13.99	8	8.65	15	33
149	110124000001021	459	15	6.02	14	13.15	10	8.75	15	39
150	110124000001530	460	15	6.03	14	13.87	8	7.92	12	34
151	110124000001483	461	16	5.27	18	13.31	10	8.38	12	40
152	110124000001324	462	16	5.38	16	13.59	8	8.9	15	39
153	110124000001584	463	16	5.49	16	12.69	10	8.65	15	41
154	110124000001778	464	16	7.17	5	14.35	8	7.3	10	23
155	110124000000986	465	16	6.26	12	14.67	6	6.87	8	26
156	110124000001669	466	16	7.35	0	16.96	1	6.5	6	7
157	110124000001059	467	16	7.14	5	13.87	8	8.16	12	25
158	110124000000816	468	16	6.34	10	16.73	1	5.9	5	16
159	110124000000913	469	16	NA	0	15.53	4	7.12	8	12
160	110124000001219	470	16	5.2	18	13.83	8	7.66	10	36
161	110124000001693	471	17	6.15	12	14.4	8	7.85	10	30
162	110124000001216	472	17	5.38	16	13.23	10	7.98	12	38
163	110124000001422	473	17	5.34	16	13.63	8	6.93	8	32
164	110124000001381	474	17	7.09	8	20.42	0	7.12	8	16
165	110124000001611	475	17	NA	0	14.95	6	7.3	10	16
166	110124000001576	476	17	6.13	12	13.32	10	8.9	15	37
167	110124000001532	477	17	5.26	18	15.37	6	8.72	15	39
168	110124000000778	478	17	5.45	16	12.28	12	7.72	10	38
169	110124000000796	479	17	5.44	16	11.88	12	7.77	10	38
170	110124000001728	480	17	6.57	8	14.83	6	7.92	12	26
171	110124000001711	481	18	6.04	14	13.9	8	6.68	6	28
172	110124000000660	482	18	6.43	10	14.69	6	8.2	12	28
173	110124000001617	483	18	6.04	14	13.45	10	9.1	15	39
174	110124000001618	484	18	7.25	5	15.11	6	6.03	5	16
175	110124000001454	485	18	6.41	10	13.69	8	6.66	6	24
176	110124000000848	486	18	6.4	10	14.26	8	8.41	12	30



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
177	110124000000683	487	18	5.32	16	15.12	6	6.88	8	30
178	110124000001805	488	18	5.55	14	13.38	10	8.53	15	39
179	110124000001450	489	18	5.43	16	12.47	12	7.28	8	36
180	110124000001572	490	18	7.33	0	15.51	4	7.26	8	12
181	110124000001550	491	19	6.07	14	14.71	6	6.96	8	28
182	110124000001263	492	19	NA	0	13.23	10	6.42	6	16
183	110124000000950	493	19	5.56	14	14.55	6	8.45	12	32
184	110124000001808	494	19	6.24	12	13.42	10	8.05	12	34
185	110124000000692	495	19	6.01	14	13.45	10	8.62	15	39
186	110124000001160	496	19	6.29	12	17.84	0	7.38	10	22
187	110124000001718	497	19	7.44	0	14.8	6	8.3	12	18
188	110124000001075	498	19	NA	0	16.07	4	6.58	6	10
189	110124000000666	499	19	6.08	14	12.52	10	8.45	12	36
190	110124000000920	500	20	6.32	10	14.55	6	8.1	12	28
191	110124000001013	501	20	5.21	18	12.88	10	8.99	15	43
192	110124000001015	502	20	5.45	16	13.33	10	8.53	15	41
193	110124000001012	503	20	5.55	14	14.73	6	7.55	10	30
194	110124000001054	504	20	5.52	14	14.41	8	7.45	10	32
195	110124000001016	505	20	6.17	12	12.31	12	8.95	15	39
196	110124000000969	506	20	6.17	12	13.34	10	6.45	6	28
197	110124000001747	507	20	6.46	10	15.19	6	7.72	10	26
198	110124000001734	508	20	7.02	8	14.94	6	7.91	12	26
199	110124000001504	509	20	6.06	14	13.25	10	9.42	15	39
200	110124000001505	510	20	8.08	0	13.78	8	8.14	12	20
201	110124000001055	511	21	6.13	12	14.51	6	6.88	8	26
202	110124000001726	512	21	6.07	14	13.94	8	7.76	10	32
203	110124000000876	513	21	5.29	18	13.35	10	8.42	12	40
204	110124000000748	514	21	5.36	16	12.72	10	7.35	10	36
205	110124000000724	515	21	5.55	14	14.46	8	8.93	15	37
206	110124000001534	516	21	5.57	14	13.43	10	7.73	10	34
207	110124000001314	517	21	NA	0	15.98	4	6.02	5	9
208	110124000001181	518	21	8.12	0	15.33	6	5.97	5	11
209	110124000000968	519	21	6.33	10	12.96	10	9.06	15	35
210	110124000001099	520	21	5.43	16	13.43	10	8.3	12	38
211	110124000000808	521	22	5.55	14	13.7	8	7.43	10	32
212	110124000001119	522	22	6.31	10	14.19	8	6.55	6	24
213	110124000001695	523	22	7.05	8	13.44	10	7.38	10	28
214	110124000001447	524	22	6.17	12	14.49	8	7.85	10	30
215	110124000001449	525	22	5.37	16	13.6	8	7.63	10	34
216	110124000001223	526	22	6.15	12	13.84	8	7.78	10	30
217	110124000001220	527	22	5.38	16	13.36	10	7.38	10	36
218	110124000001448	528	22	6.28	12	13.85	8	7.1	8	28
219	110124000001218	529	22	6.07	14	13.71	8	5.86	5	27
220	110124000001630	530	22	6.28	12	15.36	6	7.2	8	26



NA - NOT ATTEMPTED

5

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
221	110124000001281	531	23	5.23	18	13.7	8	5.5	5	31
222	110124000001172	532	23	5.55	14	12.46	12	8.2	12	38
223	110124000001171	533	23	5.37	16	13.04	10	9.5	15	41
224	110124000001159	534	23	5.39	16	12.84	10	8.96	15	41
225	110124000001821	535	23	6.26	12	14.54	6	8.19	12	30
226	110124000001418	536	23	7.44	0	14.92	6	6.79	8	14
227	110124000000919	537	23	6.15	12	12.89	10	7.07	8	30
228	110124000000863	538	23	NA	0	14.89	6	7.46	10	16
229	110124000000856	539	23	8.06	0	14.42	8	6.47	6	14
230	110124000001128	540	23	6.48	10	14.57	6	6.98	8	24
231	110124000000973	541	24	6.27	12	13.99	8	7.44	10	30
232	110124000000956	542	24	NA	0	19.42	0	6.24	6	6
233	110124000001247	543	24	6.1	14	14.06	8	7.52	10	32
234	110124000001082	544	24	NA	0	14.94	6	8.74	15	21
235	110124000001884	545	24	NA	0	13.87	8	7.19	8	16
236	110124000001871	546	24	5.27	18	12.6	10	8.57	15	43
237	110124000001872	547	24	6.03	14	13.46	10	8.58	15	39
238	110124000001043	548	24	6.36	10	13.83	8	9.05	15	33
239	110124000000754	549	24	5.2	18	12.91	10	8.93	15	43
240	110124000001426	550	24	6.38	10	13.97	8	7.42	10	28
241	110124000001091	551	25	6.23	12	14.86	6	8.7	15	33
242	110124000001767	552	25	6.39	10	14.95	6	8.59	15	31
243	110124000001880	553	25	6.21	12	12.71	10	8.67	15	37
244	110124000001311	554	25	6.25	12	13.28	10	8.62	15	37
245	110124000000993	555	25	5.07	20	11.96	12	9.02	15	47
246	110124000000994	556	25	5.36	16	12.76	10	8.6	15	41
247	110124000001790	557	25	6.14	12	14.22	8	8.28	12	32
248	110124000001196	558	25	7.29	5	14.61	6	7.73	10	21
249	110124000001436	559	25	7.2	5	15.63	4	6.1	6	15
250	110124000001741	560	25	6.13	12	14.6	6	7.68	10	28
251	110124000001085	561	26	6.57	8	14.7	6	7.82	10	24
252	110124000001577	562	26	6.35	10	14.82	6	7.72	10	26
253	110124000000817	563	26	7.34	0	14.87	6	7.56	10	16
254	110124000001485	564	26	6.38	10	13.42	10	6.35	6	26
255	110124000001074	565	26	5.48	16	13.17	10	8.17	12	38
256	110124000001080	566	26	6.31	10	13.01	10	8.94	15	35
257	110124000000674	567	26	6.52	8	13.89	8	6.89	8	24
258	110124000000672	568	26	NA	0	16.47	4	6.36	6	10
259	110124000000947	569	26	6.23	12	14.81	6	6.18	6	24
260	110124000001007	570	26	7.11	5	13.66	8	7.1	8	21
261	110124000001800	571	27	NA	0	18.33	0	4.96	4	4
262	110124000001851	572	27	6.4	10	14.21	8	6.88	8	26
263	110124000001412	573	27	7.12	5	14.86	6	6.39	6	17
264	110124000001596	574	27	7.14	5	15.61	4	6.79	8	17

NA - NOT ATTEMPTED





**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
265	110124000001017	575	27	5.34	16	13.39	10	8.47	12	38
266	110124000001582	576	27	6.51	8	14.8	6	7.73	10	24
267	110124000001062	577	27	5.18	18	12.86	10	8.71	15	43
268	110124000001797	578	27	5.53	14	13.55	8	8.7	15	37
269	110124000000953	579	27	6.54	8	14.27	8	7.79	10	26
270	110124000000924	580	27	NA	0	16.46	4	5.32	4	8
271	110124000001274	581	28	6.31	10	13.82	8	7	8	26
272	110124000000762	582	28	6.32	10	13.54	8	7.69	10	28
273	110124000001738	583	28	7.46	0	17.04	1	5.51	5	6
274	110124000001677	584	28	8.09	0	16.3	4	6.3	6	10
275	110124000001573	585	28	6.16	12	13.18	10	9.31	15	37
276	110124000000781	586	28	5.36	16	13.5	10	6.6	6	32
277	110124000000842	587	28	6.35	10	13.25	10	8.9	15	35
278	110124000000936	588	28	5.26	18	12.39	12	7.9	12	42
279	110124000001264	589	28	5.54	14	13.31	10	7.43	10	34
280	110124000001309	590	28	7.47	0	15.37	6	7.55	10	16
281	110124000001801	591	29	NA	0	17.15	1	7.06	8	9
282	110124000001769	592	29	6.32	10	14.57	6	7.2	8	24
283	110124000000873	593	29	6.11	12	13.83	8	7.95	12	32
284	110124000001782	594	29	6.34	10	15.61	4	7.4	10	24
285	110124000000995	595	29	NA	0	16.02	4	7.27	8	12
286	110124000000991	596	29	6.17	12	14.07	8	6.28	6	26
287	110124000000955	597	29	6.17	12	14.95	6	8.45	12	30
288	110124000000972	598	29	6.45	10	16	4	7.6	10	24
289	110124000001469	599	29	5.55	14	13.95	8	7.64	10	32
290	110124000000790	600	29	7.14	5	13.86	8	7.92	12	25
291	110124000000757	601	30	6.19	12	14.57	6	6.85	8	26
292	110124000001341	602	30	5.55	14	14.96	6	7.24	8	28
293	110124000001636	603	30	7.05	8	14.32	8	8.14	12	28
294	110124000000717	604	30	NA	0	15.72	4	5.72	5	9
295	110124000001435	605	30	5.35	16	13.41	10	8.84	15	41
296	110124000001136	606	30	5.5	16	14.35	8	7.68	10	34
297	110124000000737	607	30	6.28	12	14.71	6	8.57	15	33
298	110124000001518	608	30	5.55	14	12.08	12	9.21	15	41
299	110124000001590	609	30	7.52	0	15.62	4	8.75	15	19
300	110124000001277	610	30	5.18	18	13.17	10	7.7	10	38
301	110124000001602	611	31	6.09	14	14	8	8.52	15	37
302	110124000001130	612	31	6.33	10	14.29	8	8.95	15	33
303	110124000001384	613	31	5.43	16	13.23	10	7.39	10	36
304	110124000001857	614	31	5.57	14	13.03	10	8.2	12	36
305	110124000000918	615	31	NA	0	16.62	1	7.11	8	9
306	110124000000838	616	31	7.03	8	13.45	10	7.88	10	28
307	110124000001034	617	31	6.24	12	12.87	10	9.67	15	37
308	110124000001716	618	31	6.59	8	13.48	10	6.36	6	24



NA - NOT ATTEMPTED

*[Handwritten signatures and initials in blue ink]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
309	110124000001793	619	31	6.49	10	14.59	6	8.58	15	31
310	110124000001830	620	31	NA	0	15.77	4	7.66	10	14
311	110124000001271	621	32	6.36	10	15.29	6	7.05	8	24
312	110124000001266	622	32	6.11	12	15.49	6	7.2	8	26
313	110124000000847	623	32	6.4	10	13.81	8	6.43	6	24
314	110124000000806	624	32	5.47	16	14.26	8	6.65	6	30
315	110124000001548	625	32	5.45	16	12.1	12	8.38	12	40
316	110124000001053	626	32	5.49	16	14.81	6	7.7	10	32
317	110124000001116	627	32	5.55	14	13.42	10	7.2	8	32
318	110124000001697	628	32	7.15	5	15.08	6	7.1	8	19
319	110124000001781	629	32	8.01	0	18.02	0	5.9	5	5
320	110124000001844	630	32	5.51	14	14.2	8	7.6	10	32
321	110124000001358	631	33	6.19	12	13.9	8	8.1	12	32
322	110124000000996	632	33	5.56	14	13.14	10	8.38	12	36
323	110124000001699	633	33	5.53	14	12.91	10	9.15	15	39
324	110124000001703	634	33	6.54	8	13.48	10	6	5	23
325	110124000001709	635	33	6.2	12	13.74	8	7.75	10	30
326	110124000000855	636	33	6.5	10	13.37	10	7.2	8	28
327	110124000001092	637	33	NA	0	17.4	1	6.57	6	7
328	110124000000713	638	33	5.49	16	14.46	8	6.15	6	30
329	110124000001404	639	33	6.19	12	13.37	10	8.75	15	37
330	110124000001342	640	33	5.46	16	13.71	8	6.92	8	32
331	110124000000843	641	34	6.11	12	13.06	10	7.95	12	34
332	110124000000771	642	34	7.39	0	13.96	8	7.84	10	18
333	110124000000875	643	34	6.36	10	14.15	8	7.25	8	26
334	110124000001204	644	34	8.03	0	15.02	6	7.25	8	14
335	110124000000802	645	34	6.16	12	13.5	10	8.55	15	37
336	110124000000812	646	34	8.08	0	15.13	6	8	12	18
337	110124000001479	647	34	6.15	12	13.72	8	7.75	10	30
338	110124000000930	648	34	5.14	18	12.39	12	7.94	12	42
339	110124000000937	649	34	6.04	14	13.43	10	8.5	15	39
340	110124000000940	650	34	6.06	14	13.74	8	8.1	12	34
341	110124000001164	651	35	6.05	14	13.72	8	8	12	34
342	110124000001890	652	35	5.5	16	13.79	8	8.55	15	39
343	110124000001731	653	35	NA	0	13.9	8	8.44	12	20
344	110124000000770	654	35	7.4	0	14.73	6	8.72	15	21
345	110124000000711	655	35	5.36	16	14.98	6	6.45	6	28
346	110124000001631	656	35	7.46	0	14.56	6	6.9	8	14
347	110124000000783	657	35	6.45	10	14.03	8	7.44	10	28
348	110124000001104	658	35	6.14	12	13.8	8	8.72	15	35
349	110124000001868	659	35	NA	0	15.32	6	9.2	15	21
350	110124000000750	660	35	6.57	8	14.8	6	8.1	12	26
351	110124000000925	661	36	7.51	0	14.52	6	7.98	12	18
352	110124000001394	662	36	5.48	16	13.08	10	7.67	10	36



NA - NOT ATTEMPTED

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
353	110124000001798	663	36	6.11	12	14.51	6	7.3	10	28
354	110124000001451	664	36	5.29	18	13.61	8	7.05	8	34
355	110124000001568	665	36	5.47	16	13.74	8	8.28	12	36
356	110124000001241	666	36	6.11	12	12.84	10	8.65	15	37
357	110124000001095	667	36	NA	0	15.05	6	7.77	10	16
358	110124000001831	668	36	6.11	12	13.69	8	7.18	8	28
359	110124000001285	669	36	6.35	10	13.14	10	6.16	6	26
360	110124000001749	670	36	7.35	0	13.71	8	6.78	8	16
361	110124000001870	671	37	4.5	20	13.76	8	8.06	12	40
362	110124000001143	672	37	6.21	12	13.41	10	6.5	6	28
363	110124000001460	673	37	6.26	12	12.77	10	9.21	15	37
364	110124000001854	674	37	6.05	14	13.1	10	9.28	15	39
365	110124000001702	675	37	NA	0	16.83	1	5.6	5	6
366	110124000001889	676	37	6.05	14	13.7	8	7.98	12	34
367	110124000001595	677	37	6.3	12	13.74	8	7.85	10	30
368	110124000000766	678	37	7	8	13.78	8	8.56	15	31
369	110124000001288	679	37	7.28	5	13.53	8	7.14	8	21
370	110124000000689	680	37	8.45	0	15.56	4	7.62	10	14
371	110124000000690	681	38	NA	0	12.24	12	8.22	12	24
372	110124000000699	682	38	7.27	5	15.54	4	6.6	6	15
373	110124000001730	683	38	6.54	8	14.06	8	8.59	15	31
374	110124000001502	684	38	5.53	14	13.18	10	8.64	15	39
375	110124000001471	685	38	8.41	0	15.43	6	8.29	12	18
376	110124000001472	686	38	8.43	0	14.33	8	7.74	10	18
377	110124000000911	687	38	8.4	0	14.61	6	7.55	10	16
378	110124000001152	688	38	6.57	8	14.62	6	5.67	5	19
379	110124000000916	689	38	NA	0	15	6	5.94	5	11
380	110124000001813	690	38	6.45	10	14.36	8	7.89	10	28
381	110124000001066	691	39	5.45	16	15.45	6	6.8	8	30
382	110124000001676	692	39	7.4	0	15.85	4	9.04	15	19
383	110124000001815	693	39	8.01	0	13.55	8	8.2	12	20
384	110124000001221	694	39	5.27	18	12.34	12	8.38	12	42
385	110124000001224	695	39	6.19	12	13.42	10	6.84	8	30
386	110124000000677	696	39	5.41	16	12.02	12	8.9	15	43
387	110124000000665	697	39	NA	0	17.09	1	6.13	6	7
388	110124000000658	698	39	8.22	0	14.64	6	7.61	10	16
389	110124000001338	699	39	8.59	0	16.06	4	5.75	5	9
390	110124000000857	700	40	NA	0	15.88	4	8.4	12	16
391	110124000000964	701	40	7.44	0	14.78	6	7.27	8	14
392	110124000001535	702	40	7.12	5	13.58	8	6.77	8	21
393	110124000001657	703	40	5.42	16	13.22	10	8.77	15	41
394	110124000001658	704	40	5.55	14	12.66	10	8.89	15	39
395	110124000001659	705	40	6.28	12	14.89	6	6.31	6	24
396	110124000001654	706	40	NA	0	14.24	8	7.15	8	16



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
397	110124000001559	707	40	7.31	0	14.5	8	6.17	6	14
398	110124000001686	708	40	5.28	18	13.1	10	8.87	15	43
399	110124000001382	709	40	6.25	12	13.67	8	6.93	8	28
400	110124000001541	710	40	6.15	12	13.38	10	6.64	6	28
401	110124000001806	711	41	6.32	10	13.41	10	7.7	10	30
402	110124000001850	712	41	7.44	0	15.51	4	7.95	12	16
403	110124000001853	713	41	NA	0	15.42	6	5.94	5	11
404	110124000001352	714	41	6.24	12	14.7	6	6.4	6	24
405	110124000001608	715	41	6.42	10	15.05	6	7.85	10	26
406	110124000001546	716	41	6.25	12	15.64	4	6.45	6	22
407	110124000001347	717	41	6.12	12	13.72	8	6.42	6	26
408	110124000001139	718	41	6.4	10	14.98	6	6.05	5	21
409	110124000000696	719	41	7.08	8	15.22	6	4.6	3	17
410	110124000000703	720	41	6.45	10	14.48	8	5.6	5	23
411	110124000000759	721	42	6.12	12	14.71	6	6.72	8	26
412	110124000001610	722	42	6.22	12	13.75	8	6.6	6	26
413	110124000001607	723	42	6.28	12	13.77	8	8.03	12	32
414	110124000001540	724	42	6.45	10	13.38	10	9.4	15	35
415	110124000001795	725	42	5.56	14	13.78	8	8.37	12	34
416	110124000001681	726	42	5.57	14	13.43	10	8.67	15	39
417	110124000001258	727	42	5.54	14	14.1	8	8.43	12	34
418	110124000000884	728	42	8.01	0	16.47	4	8.23	12	16
419	110124000000707	729	42	7.39	0	13.78	8	8.5	15	23
420	110124000001345	730	42	NA	0	16.47	4	6.36	6	10
421	110124000000814	731	43	5.58	14	14.64	6	8.22	12	32
422	110124000001555	732	43	6.07	14	14.14	8	9.4	15	37
423	110124000001626	733	43	5.53	14	13.79	8	9.1	15	37
424	110124000001464	734	43	NA	0	13.74	8	8.53	15	23
425	110124000001259	735	43	6.3	12	14.22	8	5.93	5	25
426	110124000001425	736	43	5.55	14	12.91	10	8.17	12	36
427	110124000000709	737	43	6.08	14	15.4	6	5.92	5	25
428	110124000001355	738	43	NA	0	13.85	8	6.8	8	16
429	110124000000777	739	43	6.56	8	15.22	6	7.18	8	22
430	110124000000785	740	43	7.37	0	17.39	1	6.5	6	7
431	110124000000740	741	44	NA	0	15.17	6	7.75	10	16
432	110124000001179	742	44	6.22	12	13.5	10	8.85	15	37
433	110124000001814	743	44	NA	0	15.58	4	7.02	8	12
434	110124000000883	744	44	6.57	8	16.68	1	6.05	5	14
435	110124000001553	745	44	7.35	0	14.48	8	6	5	13
436	110124000000921	746	44	6.38	10	12.58	10	6.3	6	26
437	110124000001721	747	44	NA	0	18.7	0	5.75	5	5
438	110124000001364	748	44	6.34	10	13.73	8	7.7	10	28
439	110124000000897	749	44	6.05	14	14.85	6	7.18	8	28
440	110124000001073	750	44	8.31	0	18.15	0	5.3	4	4



NA - NOT ATTEMPTED

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
441	110124000000899	751	45	6.26	12	13.3	10	8.17	12	34
442	110124000000893	752	45	5.35	16	13.18	10	8.6	15	41
443	110124000000892	753	45	5.51	14	12.63	10	8.34	12	36
444	110124000000901	754	45	5.38	16	13.15	10	7.65	10	36
445	110124000000905	755	45	6.06	14	13.53	8	8.85	15	37
446	110124000001416	756	45	5.49	16	13.62	8	8.9	15	39
447	110124000001745	757	45	6.53	8	14.39	8	7.12	8	24
448	110124000001791	758	45	6.51	8	15.23	6	7.9	12	26
449	110124000001036	759	45	6.29	12	15.34	6	6.7	8	26
450	110124000000668	760	45	6.19	12	14.03	8	6.77	8	28
451	110124000000799	761	46	7.46	0	15.03	6	7.7	10	16
452	110124000001694	762	46	7.26	5	14.06	8	7.43	10	23
453	110124000001696	763	46	6.39	10	13.84	8	6.56	6	24
454	110124000001776	764	46	5.39	16	14.08	8	7.7	10	34
455	110124000001562	765	46	NA	0	14.57	6	7.08	8	14
456	110124000001563	766	46	5.49	16	14.59	6	6.94	8	30
457	110124000001086	767	46	6.38	10	13.36	10	7.51	10	30
458	110124000001006	768	46	5.4	16	13.08	10	8.64	15	41
459	110124000001521	769	46	5.31	16	14.06	8	7.94	12	36
460	110124000000676	770	46	7.15	5	13.46	10	9.43	15	30
461	110124000000804	771	47	6.16	12	14.85	6	7.8	10	28
462	110124000001592	772	47	NA	0	14.77	6	8.57	15	21
463	110124000001089	773	47	5.28	18	12.72	10	8.89	15	43
464	110124000001044	774	47	7.1	8	14.55	6	6.33	6	20
465	110124000001329	775	47	6.32	10	13.77	8	7.2	8	26
466	110124000001719	776	47	5.37	16	11.7	12	8.7	15	43
467	110124000001351	777	47	NA	0	13.47	10	6.73	8	18
468	110124000000974	778	47	5.29	18	13.65	8	8.34	12	38
469	110124000001561	779	47	NA	0	20.07	0	7.36	10	10
470	110124000000727	780	47	6.42	10	14.7	6	7.97	12	28
471	110124000000725	781	48	6.19	12	14.88	6	7.51	10	28
472	110124000001486	782	48	NA	0	14.77	6	7.64	10	16
473	110124000001027	783	48	6.47	10	14.12	8	7.6	10	28
474	110124000001026	784	48	NA	0	16	4	5.97	5	9
475	110124000001182	785	48	6.59	8	16.2	4	5.98	5	17
476	110124000001652	786	48	5.31	16	13.08	10	9.02	15	41
477	110124000001646	787	48	5.32	16	12.22	12	8.81	15	43
478	110124000001633	788	48	5.44	16	14.85	6	8.01	12	34
479	110124000001794	789	48	7.1	8	14.54	6	7.54	10	24
480	110124000001673	790	48	NA	0	15.27	6	7.9	12	18
481	110124000001675	791	49	6.43	10	15.27	6	7.36	10	26
482	110124000001627	792	49	6.05	14	14.51	6	6.36	6	26
483	110124000000891	793	49	6.22	12	16.65	1	5.67	5	18
484	110124000001010	794	49	5.58	14	14.24	8	7.36	10	32



NA - NOT ATTEMPTED

*[Handwritten Signature]*

*[Handwritten Signature]*

*[Handwritten Signature]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
485	110124000001276	795	49	NA	0	14.22	8	8.27	12	20
486	110124000001278	796	49	NA	0	15.07	6	8.8	15	21
487	110124000000935	797	49	9.5	0	16.08	4	6.36	6	10
488	110124000001025	798	49	6.12	12	12.8	10	9.02	15	37
489	110124000001168	799	49	6.1	14	13.68	8	7.64	10	32
490	110124000001122	800	49	5.27	18	12.92	10	8.27	12	40
491	110124000001565	801	50	11.07	0	21.08	0	4.67	3	3
492	110124000000923	802	50	NA	0	16.81	1	6.25	6	7
493	110124000001042	803	50	NA	0	14.09	8	7.45	10	18
494	110124000001106	804	50	6.29	12	15.08	6	7.25	8	26
495	110124000001615	805	50	6.44	10	13.89	8	7.86	10	28
496	110124000001349	806	50	8.33	0	15.05	6	8.65	15	21
497	110124000001236	807	50	5.44	16	13.81	8	6.85	8	32
498	110124000001327	808	50	5.51	14	13.63	8	7.73	10	32
499	110124000001333	809	50	6.29	12	14.53	6	6.56	6	24
500	110124000000719	810	50	6.29	12	16.14	4	5.68	5	21
501	110124000001169	811	51	NA	0	13.36	10	7.44	10	20
502	110124000001544	812	51	6.17	12	13.51	8	7.5	10	30
503	110124000001070	813	51	5.38	16	13.2	10	8.14	12	38
504	110124000001390	814	51	6.18	12	13.91	8	8.33	12	32
505	110124000001391	815	51	5.42	16	13.66	8	7.78	10	34
506	110124000001249	816	51	5.4	16	12.65	10	7.64	10	36
507	110124000001432	817	51	10.3	0	16.6	1	7.02	8	9
508	110124000000809	818	51	9.05	0	17.98	0	7.24	8	8
509	110124000001580	819	51	NA	0	16.03	4	6.6	6	10
510	110124000001620	820	51	NA	0	17.64	0	7.6	10	10
511	110124000001506	821	52	6.29	12	14.62	6	8.59	15	33
512	110124000001344	822	52	NA	0	16.37	4	5.28	4	8
513	110124000001047	823	52	6.5	10	15.16	6	8.33	12	28
514	110124000000881	824	52	6.48	10	16.26	4	5.18	4	18
515	110124000000878	825	52	5.57	14	13.89	8	7.8	10	32
516	110124000001365	826	52	11.23	0	18.55	0	6.07	5	5
517	110124000001397	827	52	8.39	0	17.06	1	6.2	6	7
518	110124000001545	828	52	5.24	18	13.12	10	7.95	12	40
519	110124000001666	829	52	5.23	18	12.4	12	7.96	12	42
520	110124000001665	830	52	5.45	16	13.76	8	8.7	15	39
521	110124000001093	831	53	5.47	16	13.65	8	7.66	10	34
522	110124000000794	832	53	6.43	10	15.64	4	5.72	5	19
523	110124000001542	833	53	7.51	0	15.3	6	5.53	5	11
524	110124000001369	834	53	6.46	10	14.74	6	8.03	12	28
525	110124000000661	835	53	7	8	13.16	10	8.24	12	30
526	110124000000662	836	53	6.42	10	14.25	8	7.34	10	28
527	110124000001651	837	53	6.51	8	15.68	4	6.87	8	20
528	110124000000989	838	53	5.56	14	13.68	8	8.37	12	34



NA - NOT ATTEMPTED

*[Handwritten Signature]*

*[Handwritten Signature]*

*[Handwritten Signature]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
529	110124000000990	839	53	6.14	12	15.19	6	8.3	12	30
530	110124000000988	840	53	8.19	0	14.9	6	8.56	15	21
531	110124000001058	841	54	NA	0	14.92	6	7.2	8	14
532	110124000001579	842	54	NA	0	16.68	1	6.09	5	6
533	110124000001132	843	54	NA	0	18.87	0	6.84	8	8
534	110124000001148	844	54	7.12	5	15.96	4	5.86	5	14
535	110124000001126	845	54	NA	0	15.42	6	7.32	10	16
536	110124000001144	846	54	8.06	0	16.45	4	7.2	8	12
537	110124000000898	847	54	6.38	10	15.5	6	6.84	8	24
538	110124000001529	848	54	6.23	12	14.11	8	6.82	8	28
539	110124000001662	849	54	6.18	12	13.03	10	7.97	12	34
540	110124000000678	850	54	6.36	10	13.94	8	6.28	6	24
541	110124000001671	851	55	6.06	14	14.78	6	8.68	15	35
542	110124000001279	852	55	6.06	14	12.97	10	8.48	12	36
543	110124000000746	853	55	5.52	14	14.47	8	7.95	12	34
544	110124000000745	854	55	5.33	16	13.07	10	8.6	15	41
545	110124000000765	855	55	8.11	0	15.7	4	6.45	6	10
546	110124000000721	856	55	6.18	12	14.11	8	7.43	10	30
547	110124000001142	857	55	6.39	10	15.29	6	6.57	6	22
548	110124000001368	858	55	6.32	10	15.75	4	7.22	8	22
549	110124000001256	859	55	5.38	16	13.87	8	6.66	6	30
550	110124000001370	860	55	6.31	10	14.56	6	NA	0	16
551	110124000001029	861	56	6.35	10	14.28	8	8.55	15	33
552	110124000001474	862	56	7.22	5	15.13	6	7.48	10	21
553	110124000001177	863	56	5.35	16	13.75	8	8.56	15	39
554	110124000001178	864	56	5.42	16	13.9	8	8.66	15	39
555	110124000001290	865	56	6	14	14.26	8	6.94	8	30
556	110124000001291	866	56	8.07	0	15.78	4	7.74	10	14
557	110124000001292	867	56	7	8	16.29	4	6.32	6	18
558	110124000001664	868	56	6.12	12	14.87	6	7.22	8	26
559	110124000001286	869	56	6.29	12	15.27	6	7.4	10	28
560	110124000001660	870	56	6.24	12	13.4	10	7.84	10	32
561	110124000001405	871	57	NA	0	15.98	4	6.3	6	10
562	110124000000960	872	57	6.25	12	13.56	8	7.79	10	30
563	110124000001770	873	57	7.12	5	14.54	6	7.49	10	21
564	110124000000985	874	57	5.15	18	11.95	12	8.64	15	45
565	110124000000978	875	57	6.46	10	13.6	8	7.5	10	28
566	110124000001399	876	57	5.58	14	14.74	6	9.22	15	35
567	110124000001110	877	57	5.56	14	14.52	6	7.03	8	28
568	110124000000869	878	57	6.48	10	13.3	10	8.66	15	35
569	110124000001137	879	57	6.01	14	12.97	10	8.64	15	39
570	110124000001225	880	57	6.4	10	14.65	6	8.94	15	31
571	110124000000908	881	58	5.35	16	13.53	8	7.34	10	34
572	110124000001098	882	58	5.35	16	12.8	10	8.72	15	41



NA - NOT ATTEMPTED

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
573	110124000001003	883	58	7.33	0	13.67	8	8.86	15	23
574	110124000001114	884	58	7.59	0	13.83	8	8.53	15	23
575	110124000001356	885	58	6.59	8	14.03	8	8.05	12	28
576	110124000001125	886	58	7.4	0	14.65	6	7.89	10	16
577	110124000001212	887	58	6.19	12	14	8	8.75	15	35
578	110124000000907	888	58	6.5	10	16.06	4	6.29	6	20
579	110124000001482	889	58	5.31	16	13.48	10	8.43	12	38
580	110124000001200	890	58	6.07	14	13.36	10	8.46	12	36
581	110124000001199	891	59	6.02	14	14.04	8	7.84	10	32
582	110124000000870	892	59	5.46	16	13.88	8	8.05	12	36
583	110124000001438	893	59	6.11	12	14.18	8	7.84	10	30
584	110124000000895	894	59	6.24	12	15.27	6	5.9	5	23
585	110124000001600	895	59	8.09	0	16.14	4	7.03	8	12
586	110124000000693	896	59	7.27	5	16.39	4	5.7	5	14
587	110124000001147	897	59	5.36	16	13.41	10	8.92	15	41
588	110124000001280	898	59	5.31	16	13.36	10	8.6	15	41
589	110124000001265	899	59	5.32	16	12.9	10	8.43	12	38
590	110124000001273	900	59	5.38	16	14	8	7.3	10	34
591	110124000001316	901	60	5.42	16	13.4	10	8.78	15	41
592	110124000000786	902	60	5.37	16	12.56	10	8.77	15	41
593	110124000001429	903	60	6.16	12	14.2	8	8.6	15	35
594	110124000001428	904	60	5.19	18	13.21	10	8.61	15	43
595	110124000001393	905	60	6.05	14	14.96	6	8.99	15	35
596	110124000001005	906	60	8.49	0	14.88	6	5.6	5	11
597	110124000001322	907	60	NA	0	15.75	4	5.49	4	8
598	110124000001804	908	60	NA	0	13.89	8	8.64	15	23
599	110124000001822	909	60	7.4	0	15.66	4	8.23	12	16
600	110124000001661	910	60	NA	0	15.84	4	7.09	8	12
601	110124000001189	911	61	6.29	12	14.97	6	6.8	8	26
602	110124000000791	912	61	6.12	12	13.71	8	6.32	6	26
603	110124000001198	913	61	5.45	16	13.57	8	7.04	8	32
604	110124000001374	914	61	7.54	0	15.86	4	6.65	6	10
605	110124000000846	915	61	9.45	0	17.43	1	5.95	5	6
606	110124000001103	916	61	6.56	8	15.86	4	5.85	5	17
607	110124000001668	917	61	7.12	5	13.66	8	7.48	10	23
608	110124000001141	918	61	7.19	5	14.12	8	5.65	5	18
609	110124000001638	919	61	6.59	8	14.33	8	8.1	12	28
610	110124000000939	920	61	5.43	16	14.22	8	8.07	12	36
611	110124000001024	921	62	6.04	14	15.09	6	7.17	8	28
612	110124000001246	922	62	6.35	10	14.23	8	5.7	5	23
613	110124000000965	923	62	6.36	10	13.91	8	8.4	12	30
614	110124000000888	924	62	7.02	8	15.77	4	8.52	15	27
615	110124000000880	925	62	6.08	14	13.14	10	8.57	15	39
616	110124000001101	926	62	6.06	14	14.12	8	7.29	8	30



NA - NOT ATTEMPTED

*[Handwritten Signature]*

*[Handwritten Signature]*

*[Handwritten Signature]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
617	110124000000080	927	62	5.42	16	14.31	8	6.95	8	32
618	110124000000889	928	62	7.11	5	13.54	8	7.05	8	21
619	110124000001056	929	62	8.08	0	14.12	8	6.24	6	14
620	110124000000957	930	62	10.08	0	15.49	6	7.01	8	14
621	110124000000797	931	63	5.4	16	14.37	8	5.64	5	29
622	110124000000793	932	63	12.5	0	17.35	1	5.67	5	6
623	110124000001755	933	63	NA	0	17.98	0	6.19	6	6
624	110124000001395	934	63	6.05	14	14.55	6	6.32	6	26
625	110124000001417	935	63	7.5	0	16.91	1	5.75	5	6
626	110124000000959	936	63	6.23	12	14.18	8	5.58	5	25
627	110124000001109	937	63	9.28	0	15.83	4	5.58	5	9
628	110124000001064	938	63	7.2	5	14.5	8	6.65	6	19
629	110124000001598	939	63	NA	0	13.84	8	7.97	12	20
630	110124000001461	940	63	NA	0	16.52	1	7.33	10	11
631	110124000000730	941	64	NA	0	15	6	5.67	5	11
632	110124000001305	942	64	NA	0	13.77	8	6.24	6	14
633	110124000001255	943	64	8.19	0	14.56	6	6.7	8	14
634	110124000001107	944	64	7.49	0	14.03	8	6.48	6	14
635	110124000001427	945	64	6.4	10	13	10	8.08	12	32
636	110124000001254	946	64	5.49	16	15.59	4	6.23	6	26
637	110124000001113	947	64	8.48	0	15.18	6	6.99	8	14
638	110124000001192	948	64	6.28	12	14.57	6	8.88	15	33
639	110124000001203	949	64	6.42	10	14.42	8	7.29	8	26
640	110124000001111	950	64	6.58	8	15.17	6	7.57	10	24
641	110124000001063	951	65	NA	0	13.36	10	NA	0	10
642	110124000000675	952	65	7.21	5	13.73	8	8.86	15	28
643	110124000001083	953	65	NA	0	16.67	1	5.96	5	6
644	110124000000902	954	65	6.58	8	15.28	6	8.57	15	29
645	110124000001134	955	65	6.21	12	14.72	6	7.3	10	28
646	110124000001591	956	65	NA	0	13.65	8	7.45	10	18
647	110124000000844	957	65	6.16	12	13.02	10	8.72	15	37
648	110124000000840	958	65	6.25	12	13.01	10	8.62	15	37
649	110124000000839	959	65	5.56	14	12.24	12	8.84	15	41
650	110124000001155	960	65	7.45	0	14.62	6	6.22	6	12
651	110124000001581	961	66	NA	0	15.2	6	8.28	12	18
652	110124000001411	962	66	NA	0	20.12	0	6.09	5	5
653	110124000000952	963	66	5.55	14	15.34	6	6.84	8	28
654	110124000001348	964	66	7.55	0	15.23	6	7.2	8	14
655	110124000001061	965	66	6.09	14	12.68	10	8.78	15	39
656	110124000000932	966	66	NA	0	14.68	6	7.16	8	14
657	110124000000933	967	66	6.18	12	14.04	8	7.98	12	32
658	110124000001186	968	66	6.05	14	13.65	8	8.35	12	34
659	110124000001207	969	66	5.28	18	17.31	1	7.7	10	29
660	110124000001188	970	66	5.45	16	13.09	10	8.61	15	41



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 12/02/2026**

SR.NO	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
661	110124000001187	971	67	5.11	18	12.86	10	7.5	10	38
662	110124000001077	972	67	6.43	10	14.15	8	6.4	6	24
663	110124000001166	973	67	6.38	10	13.57	8	7.97	12	30
664	110124000001372	974	67	7	8	14.14	8	6.25	6	22
665	110124000001431	975	67	NA	0	15.55	4	6.31	6	10
666	110124000001156	976	67	7.19	5	13.3	10	7.52	10	25
667	110124000001233	977	67	5.32	16	12.8	10	9.17	15	41
668	110124000001232	978	67	6.3	12	13.47	10	8.35	12	34
669	110124000001231	979	67	6.04	14	13.88	8	7.59	10	32
670	110124000001235	980	67	6.42	10	14.1	8	8.48	12	30
671	110124000001234	981	68	6.58	8	16.06	4	7	8	20
672	110124000001321	982	68	7.2	5	14.64	6	7.37	10	21
673	110124000000931	983	68	6.25	12	12.8	10	7.71	10	32
674	110124000001463	984	68	8.18	0	17.94	0	6.36	6	6
675	110124000001197	985	68	7.13	5	15.43	6	6.97	8	19
676	110124000000975	986	68	6.09	14	15.43	6	6.43	6	26
677	110124000001162	987	68	7.27	5	14.55	6	6.96	8	19
678	110124000001175	988	68	7.32	0	14.75	6	8.6	15	21
679	110124000001129	989	68	7.43	0	15.82	4	6.29	6	10
680	110124000001420	990	68	NA	0	17.27	1	7.75	10	11
681	110124000000915	991	69	5.47	16	13.65	8	6.45	6	30
682	110124000001604	992	69	NA	0	15.84	4	4.95	4	8
683	110124000001118	993	69	NA	0	14.87	6	8.25	12	18
684	110124000001002	994	69	5.5	16	13.4	10	6.85	8	34

