

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
1	110124000002769	1001	1	NA	0	16.3	4	6	5	9
2	110124000002551	1002	1	5.19	18	12.01	12	9.14	15	45
3	110124000002949	1003	1	6.07	14	14.01	8	8.23	12	34
4	110124000002392	1004	1	7.52	0	14.31	8	7.26	8	16
5	110124000003215	1005	1	6.24	12	14.4	8	8.53	15	35
6	110124000002964	1006	1	5.42	16	14.03	8	8.73	15	39
7	110124000003132	1007	1	6.08	14	13.61	8	7	8	30
8	110124000003036	1008	1	5.33	16	12.38	12	8.03	12	40
9	110124000003126	1009	1	5.29	18	12.85	10	7.41	10	38
10	110124000001970	1010	1	5.59	14	13.13	10	6.88	8	32
11	110124000002154	1011	2	5.41	16	13.86	8	6.52	6	30
12	110124000002843	1012	2	6.23	12	14.72	6	9.12	15	33
13	110124000002103	1013	2	5.33	16	12.55	10	7.97	12	38
14	110124000002429	1014	2	5.45	16	12.89	10	8.65	15	41
15	110124000002174	1015	2	6.29	12	16.94	1	6.4	6	19
16	110124000002603	1016	2	5.42	16	13.62	8	8.1	12	36
17	110124000002246	1017	2	6.55	8	14.34	8	8.28	12	28
18	110124000002613	1018	2	7.3	5	15.96	4	7.95	12	21
19	110124000002280	1019	2	5.39	16	12.45	12	8.65	15	43
20	110124000002518	1020	2	5.4	16	12.72	10	7.65	10	36
21	110124000003231	1021	3	5.3	18	12.51	10	8.7	15	43
22	110124000003245	1022	3	6.21	12	14.79	6	8.65	15	33
23	110124000002855	1023	3	6.16	12	14.72	6	7.9	12	30
24	110124000002170	1024	3	7.12	5	15.44	6	8.15	12	23
25	110124000002009	1025	3	5.58	14	14.25	8	7.3	10	32
26	110124000002469	1026	3	5.53	14	13.88	8	8.7	15	37
27	110124000002095	1027	3	5.56	14	14.21	8	8.83	15	37
28	110124000002094	1028	3	6	14	14.19	8	8.68	15	37
29	110124000002060	1029	3	5.58	14	13.3	10	9.12	15	39
30	110124000002115	1030	3	5.33	16	14.11	8	6.7	8	32
31	110124000001952	1031	4	6.42	10	15.24	6	7.87	10	26
32	110124000002829	1032	4	5.4	16	13.41	10	6.7	8	34
33	110124000002121	1033	4	6.32	10	14.42	8	9.05	15	33
34	110124000002120	1034	4	NA	0	14.89	6	8.24	12	18
35	110124000002714	1035	4	5.49	16	13.18	10	8.76	15	41
36	110124000002049	1036	4	7.49	0	16.02	4	6.62	6	10
37	110124000001995	1037	4	5.52	14	14.45	8	8.46	12	34
38	110124000003141	1038	4	5.59	14	13.67	8	8.44	12	34
39	110124000002716	1039	4	7.47	0	15.54	4	7.2	8	12
40	110124000002334	1040	4	6.13	12	14.32	8	7.01	8	28
41	110124000002292	1041	5	6.26	12	15.49	6	7.4	10	28
42	110124000003222	1042	5	5.4	16	13.2	10	8.33	12	38
43	110124000002081	1043	5	6.06	14	13.16	10	7.81	10	34
44	110124000003179	1044	5	7.37	0	15.49	6	7.79	10	16



NA - NOT ATTEMPTED

*[Handwritten signatures and initials in blue ink]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
45	110124000002006	1045	5	5.3	18	12.89	10	8.55	15	43
46	110124000002468	1046	5	5.43	16	15.21	6	6.28	6	28
47	110124000002684	1047	5	6.55	8	14.4	8	6.93	8	24
48	110124000002629	1048	5	5.34	16	13.4	10	NA	0	26
49	110124000003261	1049	5	6.42	10	14.06	8	6.9	8	26
50	110124000003165	1050	5	6.5	10	13.97	8	8.46	12	30
51	110124000002867	1051	6	6.04	14	13.66	8	7.68	10	32
52	110124000002941	1052	6	5.3	18	13.05	10	8.78	15	43
53	110124000002940	1053	6	5.34	16	11.97	12	8.58	15	43
54	110124000000984	1054	6	5.35	16	13.47	10	8.69	15	41
55	110124000002163	1055	6	6.05	14	14.71	6	7.42	10	30
56	110124000002215	1056	6	6.29	12	13.75	8	7.78	10	30
57	110124000002793	1057	6	5.57	14	13.87	8	8.54	15	37
58	110124000002795	1058	6	6.46	10	13.73	8	6.98	8	26
59	110124000002440	1059	6	NA	0	14.77	6	7.18	8	14
60	110124000003131	1060	6	6.16	12	13.84	8	8.38	12	32
61	110124000003127	1061	7	6.14	12	12.95	10	9.04	15	37
62	110124000003095	1062	7	5.28	18	14.07	8	8.29	12	38
63	110124000002782	1063	7	6.56	8	14.4	8	8.74	15	31
64	110124000003146	1064	7	6	14	14.37	8	7.5	10	32
65	110124000002510	1065	7	6.3	12	13.54	8	8.6	15	35
66	110124000003037	1066	7	7.49	0	15.39	6	6.68	6	12
67	110124000002357	1067	7	7.3	5	16.31	4	7.83	10	19
68	110124000002634	1068	7	6.59	8	15.4	6	7.18	8	22
69	110124000002935	1069	7	5.27	18	13.12	10	8.6	15	43
70	110124000003246	1070	7	5.53	14	13.54	8	7.4	10	32
71	110124000002086	1071	8	7.13	5	16.66	1	7.35	10	16
72	110124000002023	1072	8	6.18	12	14.47	8	8.4	12	32
73	110124000001997	1073	8	5.25	18	13.06	10	8.3	12	40
74	110124000003106	1074	8	6.12	12	13.74	8	8.32	12	32
75	110124000003107	1075	8	5.37	16	13.14	10	9.1	15	41
76	110124000002052	1076	8	5.54	14	13.64	8	6.38	6	28
77	110124000002056	1077	8	6.5	10	15.74	4	6.15	6	20
78	110124000002270	1078	8	6.53	8	14.97	6	7.5	10	24
79	110124000002036	1079	8	5.09	20	13.1	10	8.6	15	45
80	110124000002373	1080	8	5.45	16	12.58	10	8.82	15	41
81	110124000002600	1081	9	6.47	10	13.27	10	7.25	8	28
82	110124000002254	1082	9	5.54	14	13.2	10	8.83	15	39
83	110124000002255	1083	9	5.12	18	12.47	12	9.11	15	45
84	110124000002539	1084	9	5.43	16	14.43	8	7.12	8	32
85	110124000002206	1085	9	7.04	8	15.45	6	7.65	10	24
86	110124000002435	1086	9	6.17	12	14.43	8	7.96	12	32
87	110124000002854	1087	9	6.26	12	14.35	8	8.63	15	35
88	110124000002272	1088	9	6.14	12	13.77	8	8.53	15	35



NA - NOT ATTEMPTED

*[Handwritten signatures and initials in blue ink]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
89	110124000003242	1089	9	5.46	16	13.04	10	7.8	10	36
90	110124000001946	1090	9	7	8	14.89	6	8.75	15	29
91	110124000002937	1091	10	6	14	14.04	8	8.55	15	37
92	110124000001956	1092	10	6.54	8	15.21	6	7.23	8	22
93	110124000002344	1093	10	7	8	15.19	6	8.45	12	26
94	110124000002118	1094	10	6.14	12	13.68	8	8.14	12	32
95	110124000002581	1095	10	6.15	12	13.93	8	6.92	8	28
96	110124000002245	1096	10	8.13	0	16	4	7.4	10	14
97	110124000003064	1097	10	NA	0	20.87	0	5.3	4	4
98	110124000002033	1098	10	7.17	5	16	4	7.07	8	17
99	110124000003109	1099	10	6.41	10	15.07	6	7.18	8	24
100	110124000002641	1100	10	6.13	12	13.84	8	9.18	15	35
101	110124000002152	1101	11	7.42	0	14.91	6	5.85	5	11
102	110124000002694	1102	11	5.38	16	13.64	8	8.3	12	36
103	110124000001955	1103	11	7.53	0	14.69	6	6.9	8	14
104	110124000003120	1104	11	6.41	10	14	8	8.6	15	33
105	110124000002405	1105	11	6.53	8	15.86	4	6.65	6	18
106	110124000002465	1106	11	6.2	12	15.33	6	7.7	10	28
107	110124000002912	1107	11	6.21	12	14.06	8	7.65	10	30
108	110124000002099	1108	11	5.43	16	14.06	8	8.75	15	39
109	110124000003247	1109	11	6.14	12	14.99	6	8.05	12	30
110	110124000003116	1110	11	6.38	10	14.84	6	7.35	10	26
111	110124000003115	1111	12	5.57	14	12.85	10	8.31	12	36
112	110124000002620	1112	12	6.4	10	13.91	8	7.92	12	30
113	110124000002482	1113	12	5.55	14	13.9	8	7.32	10	32
114	110124000002105	1114	12	6.24	12	15.59	4	8.09	12	28
115	110124000002656	1115	12	6.19	12	12.96	10	8.96	15	37
116	110124000002658	1116	12	7.14	5	14.37	8	9	15	28
117	110124000002866	1117	12	6.1	14	13.93	8	7.22	8	30
118	110124000001944	1118	12	6.4	10	15.25	6	8.8	15	31
119	110124000002640	1119	12	5.56	14	13.75	8	8.41	12	34
120	110124000002143	1120	12	6.08	14	14.31	8	7.22	8	30
121	110124000003085	1121	13	5.39	16	12.96	10	7.58	10	36
122	110124000003086	1122	13	6.07	14	15.01	6	6.56	6	26
123	110124000002480	1123	13	6.05	14	13.32	10	8.78	15	39
124	110124000002481	1124	13	6.27	12	14.93	6	8.14	12	30
125	110124000001939	1125	13	5.44	16	13.36	10	7.57	10	36
126	110124000002664	1126	13	5.4	16	13.82	8	7.01	8	32
127	110124000001986	1127	13	6	14	14.04	8	6.39	6	28
128	110124000002216	1128	13	6.03	14	14.01	8	8.45	12	34
129	110124000002226	1129	13	5.46	16	13.78	8	8.92	15	39
130	110124000002792	1130	13	7.28	5	15.87	4	6.54	6	15
131	110124000001897	1131	14	5.41	16	13.11	10	7.56	10	36
132	110124000003068	1132	14	6.13	12	13.87	8	7.5	10	30

NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*



**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
133	110124000002346	1133	14	7.06	8	14.36	8	6.77	8	24
134	110124000002498	1134	14	5.48	16	14.6	6	7.15	8	30
135	110124000002524	1135	14	6.45	10	16.44	4	5.9	5	19
136	110124000002309	1136	14	6.13	12	14.71	6	7.47	10	28
137	110124000002039	1137	14	7.31	0	15.32	6	7.31	10	16
138	110124000002048	1138	14	6.03	14	14.08	8	6.97	8	30
139	110124000003171	1139	14	5.36	16	12.51	10	8.51	15	41
140	110124000003140	1140	14	5.36	16	13.98	8	8.44	12	36
141	110124000002824	1141	15	7.2	5	16.62	1	6.35	6	12
142	110124000002157	1142	15	6.27	12	13.7	8	6.86	8	28
143	110124000002698	1143	15	6.01	14	15.21	6	7.45	10	30
144	110124000003051	1144	15	6.09	14	14.73	6	7.25	8	28
145	110124000002451	1145	15	5.52	14	13.19	10	8.03	12	36
146	110124000002452	1146	15	5.29	18	12.95	10	8.62	15	43
147	110124000002386	1147	15	6.32	10	13.95	8	7.55	10	28
148	110124000001954	1148	15	5.52	14	13.03	10	8.27	12	36
149	110124000002734	1149	15	5.32	16	12.53	10	8.08	12	38
150	110124000002762	1150	15	5.54	14	13.16	10	7.83	10	34
151	110124000002139	1151	16	5.49	16	14.22	8	6.97	8	32
152	110124000002915	1152	16	6.06	14	14.16	8	6.52	6	28
153	110124000002960	1153	16	6.33	10	13.25	10	8.23	12	32
154	110124000002774	1154	16	6.07	14	13.47	10	6.65	6	30
155	110124000003119	1155	16	5.3	18	14.15	8	8.37	12	38
156	110124000003130	1156	16	5.14	18	12.98	10	8.55	15	43
157	110124000003073	1157	16	6.16	12	14.25	8	8.87	15	35
158	110124000003066	1158	16	6.39	10	14.4	8	7.63	10	28
159	110124000003177	1159	16	5.47	16	12.15	12	8.88	15	43
160	110124000003152	1160	16	5.33	16	13.66	8	8.58	15	39
161	110124000002759	1161	17	5.39	16	13.26	10	7.71	10	36
162	110124000002183	1162	17	6.03	14	15.37	6	6.73	8	28
163	110124000003087	1163	17	6.02	14	13.24	10	8.58	15	39
164	110124000002381	1164	17	5.4	16	13.24	10	7.6	10	36
165	110124000002129	1165	17	6.26	12	14.15	8	7.9	12	32
166	110124000003114	1166	17	5.43	16	13.62	8	8.9	15	39
167	110124000003251	1167	17	5.51	14	12.96	10	8.58	15	39
168	110124000003154	1168	17	5.45	16	13.72	8	7.1	8	32
169	110124000002044	1169	17	6.18	12	13.82	8	7.28	8	28
170	110124000003236	1170	17	8.13	0	13.1	10	8.42	12	22
171	110124000001906	1171	18	7	8	14.62	6	8.11	12	26
172	110124000002835	1172	18	5.39	16	13.69	8	7.76	10	34
173	110124000002988	1173	18	5.48	16	12.24	12	8.64	15	43
174	110124000002797	1174	18	5.45	16	14.02	8	7.89	10	34
175	110124000002088	1175	18	6.01	14	13.42	10	7.78	10	34
176	110124000002087	1176	18	5.23	18	13.01	10	9.05	15	43

NA - NOT ATTEMPTED

*[Handwritten signatures]*



**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
177	110124000002035	1177	18	5.49	16	14.32	8	6.86	8	32
178	110124000001937	1178	18	6.35	10	13.33	10	9.1	15	35
179	110124000002686	1179	18	6.33	10	14.03	8	6.78	8	26
180	110124000003022	1180	18	5.35	16	12.76	10	7.44	10	36
181	110124000002371	1181	19	7.49	0	14.93	6	6.49	6	12
182	110124000003191	1182	19	6.56	8	15.52	4	7.06	8	20
183	110124000002860	1183	19	7.25	5	13.81	8	7.35	10	23
184	110124000002460	1184	19	7.51	0	14.33	8	7.76	10	18
185	110124000002150	1185	19	6.18	12	14.66	6	6.7	8	26
186	110124000002239	1186	19	6.13	12	13.1	10	8.53	15	37
187	110124000002978	1187	19	5.49	16	13.44	10	8.84	15	41
188	110124000003264	1188	19	9.36	0	17.21	1	6.28	6	7
189	110124000001977	1189	19	7.17	5	14.04	8	8.59	15	28
190	110124000002571	1190	19	6.42	10	14.08	8	7.05	8	26
191	110124000003217	1191	20	6.11	12	12.92	10	8.55	15	37
192	110124000003091	1192	20	5.31	16	12.63	10	8.64	15	41
193	110124000002046	1193	20	8.01	0	16.8	1	5.36	4	5
194	110124000002389	1194	20	NA	0	13.82	8	8.3	12	20
195	110124000002627	1195	20	7.12	5	14.71	6	8.4	12	23
196	110124000002013	1196	20	5.5	16	12.44	12	8.17	12	40
197	110124000002628	1197	20	6.19	12	15.34	6	6.69	6	24
198	110124000002889	1198	20	5.52	14	13.09	10	7.63	10	34
199	110124000002832	1199	20	6.05	14	15.67	4	6.92	8	26
200	110124000003129	1200	20	7.16	5	15.64	4	7.89	10	19
201	110124000003184	1201	21	7.08	8	18.53	0	7.28	8	16
202	110124000002244	1202	21	6.08	14	15.13	6	7.1	8	28
203	110124000001941	1203	21	7.52	0	14.55	6	8.12	12	18
204	110124000002003	1204	21	6.53	8	18.82	0	7.84	10	18
205	110124000002474	1205	21	6.02	14	14.31	8	8.42	12	34
206	110124000003027	1206	21	5.34	16	13.02	10	8.95	15	41
207	110124000003214	1207	21	NA	0	43.09	0	5.55	5	5
208	110124000003052	1208	21	5.48	16	13.93	8	8.23	12	36
209	110124000003197	1209	21	6.38	10	15.87	4	6.75	8	22
210	110124000003188	1210	21	6.42	10	13.57	8	8.54	15	33
211	110124000002804	1211	22	6.19	12	13.29	10	7	8	30
212	110124000002534	1212	22	5.4	16	14.06	8	8.47	12	36
213	110124000002045	1213	22	8.31	0	14.14	8	7.8	10	18
214	110124000002538	1214	22	5.54	14	12.52	10	9.04	15	39
215	110124000002537	1215	22	5.25	18	12.5	12	8.7	15	45
216	110124000002535	1216	22	5.29	18	11.77	12	9.6	15	45
217	110124000002058	1217	22	6.22	12	15.16	6	6.58	6	24
218	110124000002030	1218	22	7.27	5	17	1	5.43	4	10
219	110124000002240	1219	22	5.37	16	12.6	10	8.94	15	41
220	110124000002241	1220	22	5.26	18	12.15	12	9.32	15	45



NA - NOT ATTEMPTED

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
221	110124000002261	1221	23	6.03	14	13.07	10	8.78	15	39
222	110124000002968	1222	23	6.52	8	12.97	10	7.69	10	28
223	110124000001926	1223	23	6.33	10	15.13	6	NA	0	16
224	110124000001905	1224	23	6.25	12	13.94	8	7.65	10	30
225	110124000003176	1225	23	7.19	5	19.07	0	6.12	6	11
226	110124000003163	1226	23	6.18	12	14.81	6	8	12	30
227	110124000002643	1227	23	5.51	14	14.96	6	6.56	6	26
228	110124000002626	1228	23	5.48	16	14.03	8	6.68	6	30
229	110124000002092	1229	23	6.21	12	13.79	8	8.68	15	35
230	110124000003279	1230	23	NA	0	15.37	6	5.15	4	10
231	110124000002798	1231	24	6.03	14	13.79	8	7.6	10	32
232	110124000002660	1232	24	5.56	14	12.85	10	7.56	10	34
233	110124000002631	1233	24	7.48	0	15.27	6	5.29	4	10
234	110124000002107	1234	24	7.13	5	14.66	6	7.9	12	23
235	110124000003062	1235	24	6.23	12	14.69	6	6.86	8	26
236	110124000001953	1236	24	6.06	14	12.89	10	6.82	8	32
237	110124000002921	1237	24	7.35	0	15.66	4	5.19	4	8
238	110124000001958	1238	24	7.14	5	15.76	4	6.57	6	15
239	110124000002853	1239	24	5.22	18	12.28	12	8.56	15	45
240	110124000002080	1240	24	6.09	14	13.01	10	8.63	15	39
241	110124000002204	1241	25	6.11	12	14.33	8	7.84	10	30
242	110124000002893	1242	25	6.42	10	13.94	8	7.95	12	30
243	110124000002894	1243	25	6.13	12	14.07	8	7.55	10	30
244	110124000002398	1244	25	5.57	14	14.77	6	7	8	28
245	110124000002042	1245	25	5.4	16	13.56	8	7.8	10	34
246	110124000003227	1246	25	6.25	12	14.54	6	6.16	6	24
247	110124000003224	1247	25	6.35	10	13.41	10	8.05	12	32
248	110124000002748	1248	25	7.05	8	13.84	8	5.67	5	21
249	110124000002327	1249	25	7.16	5	15.04	6	5.28	4	15
250	110124000001914	1250	25	7	8	14.76	6	7.12	8	22
251	110124000002262	1251	26	6.02	14	13.14	10	8.07	12	36
252	110124000002265	1252	26	5.25	18	12.79	10	8.48	12	40
253	110124000003173	1253	26	6.33	10	13.66	8	8.23	12	30
254	110124000001894	1254	26	5.16	18	12.91	10	9.41	15	43
255	110124000001895	1255	26	5.23	18	12.16	12	8.62	15	45
256	110124000001988	1256	26	6.37	10	14.64	6	6.76	8	24
257	110124000003155	1257	26	5.31	16	13.94	8	7.08	8	32
258	110124000002927	1258	26	NA	0	14.85	6	6.34	6	12
259	110124000001942	1259	26	6.28	12	14.65	6	7.08	8	26
260	110124000002508	1260	26	NA	0	15.12	6	6.14	6	12
261	110124000002598	1261	27	6.33	10	13.93	8	8.51	15	33
262	110124000001948	1262	27	5.39	16	13.73	8	7.37	10	34
263	110124000002830	1263	27	NA	0	14.86	6	6.48	6	12
264	110124000003252	1264	27	7.26	5	16.5	4	5.74	5	14



NA - NOT ATTEMPTED

*[Handwritten signatures and initials in blue ink]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
265	110124000002396	1265	27	5.51	14	13.84	8	8.1	12	34
266	110124000002739	1266	27	6.07	14	12.52	10	8.35	12	36
267	110124000002144	1267	27	6.04	14	12.82	10	8.62	15	39
268	110124000002034	1268	27	6.53	8	13.36	10	7.62	10	28
269	110124000002314	1269	27	7.01	8	14.94	6	7.7	10	24
270	110124000002100	1270	27	5.57	14	13.3	10	8.58	15	39
271	110124000002178	1271	28	7.32	0	60.04	0	6.72	8	8
272	110124000002651	1272	28	6.06	14	13.35	10	8.98	15	39
273	110124000002649	1273	28	6.04	14	13.55	8	8.94	15	37
274	110124000002650	1274	28	5.57	14	13.87	8	8.61	15	37
275	110124000002368	1275	28	6.3	12	15.02	6	8.7	15	33
276	110124000001975	1276	28	5.5	16	13.58	8	7.37	10	34
277	110124000001943	1277	28	6.33	10	14.66	6	5.9	5	21
278	110124000002624	1278	28	7.19	5	17.97	0	7.41	10	15
279	110124000003199	1279	28	5.31	16	13.3	10	8.72	15	41
280	110124000002041	1280	28	7.38	0	14.82	6	8.08	12	18
281	110124000002109	1281	29	8.11	0	15.04	6	8.55	15	21
282	110124000002124	1282	29	5.57	14	13.87	8	7.76	10	32
283	110124000002238	1283	29	6.16	12	14.26	8	6.45	6	26
284	110124000002784	1284	29	5.53	14	14.32	8	6.43	6	28
285	110124000002785	1285	29	5.35	16	14.29	8	8.21	12	36
286	110124000002578	1286	29	6.1	14	13.04	10	8.61	15	39
287	110124000002192	1287	29	5.34	16	12.38	12	8.38	12	40
288	110124000003050	1288	29	6.58	8	14.23	8	7.91	12	28
289	110124000001961	1289	29	5.35	16	13.73	8	8.48	12	36
290	110124000001962	1290	29	6.56	8	14.52	6	7.36	10	24
291	110124000001985	1291	30	5.39	16	13.8	8	6.8	8	32
292	110124000002705	1292	30	6.04	14	13.88	8	6.52	6	28
293	110124000003238	1293	30	6.25	12	14.54	6	8.55	15	33
294	110124000002863	1294	30	5.17	18	12.25	12	8.9	15	45
295	110124000003113	1295	30	8.31	0	14.1	8	8.05	12	20
296	110124000001940	1296	30	6.55	8	13.94	8	8.27	12	28
297	110124000002704	1297	30	8.04	0	17.5	1	5.65	5	6
298	110124000002710	1298	30	7.18	5	16.25	4	7.68	10	19
299	110124000002654	1299	30	6.52	8	14.07	8	7.05	8	24
300	110124000002079	1300	30	6.53	8	15.74	4	5.55	5	17
301	110124000002106	1301	31	8.54	0	16.99	1	7.62	10	11
302	110124000002746	1302	31	7.36	0	16.04	4	8.19	12	16
303	110124000003263	1303	31	6.26	12	15.11	6	5.67	5	23
304	110124000003078	1304	31	6.04	14	15	6	7.59	10	30
305	110124000003075	1305	31	6.43	10	15.6	4	5.6	5	19
306	110124000003096	1306	31	7.25	5	13.11	10	7.62	10	25
307	110124000002189	1307	31	6.07	14	14.22	8	8.86	15	37
308	110124000002764	1308	31	5.37	16	14.25	8	8.42	12	36

NA - NOT ATTEMPTED

*[Handwritten signatures]*



**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
309	110124000002407	1309	31	5.44	16	13.47	10	8.08	12	38
310	110124000002712	1310	31	6.2	12	15.6	4	7	8	24
311	110124000002050	1311	32	7.58	0	15.15	6	6.27	6	12
312	110124000002439	1312	32	5.42	16	13.67	8	7.83	10	34
313	110124000003104	1313	32	7.56	0	15.87	4	7.64	10	14
314	110124000002395	1314	32	NA	0	17.74	0	7.18	8	8
315	110124000002876	1315	32	5.48	16	14.1	8	8.3	12	36
316	110124000003060	1316	32	5.58	14	13.88	8	7.85	10	32
317	110124000002130	1317	32	6.11	12	14.1	8	7.58	10	30
318	110124000002771	1318	32	6.59	8	15.42	6	6.64	6	20
319	110124000002898	1319	32	6.13	12	15.68	4	7.37	10	26
320	110124000002987	1320	32	6.17	12	13.06	10	8.28	12	34
321	110124000003203	1321	33	5.31	16	13.35	10	7.94	12	38
322	110124000002417	1322	33	6.34	10	15.7	4	7	8	22
323	110124000002168	1323	33	7.02	8	14.77	6	6.1	6	20
324	110124000002005	1324	33	NA	0	15.85	4	6.83	8	12
325	110124000002879	1325	33	5.4	16	13.46	10	7.87	10	36
326	110124000002525	1326	33	8.32	0	15.42	6	5.86	5	11
327	110124000003211	1327	33	7.39	0	15.96	4	7.71	10	14
328	110124000002018	1328	33	7.49	0	15.85	4	5.27	4	8
329	110124000002877	1329	33	6.02	14	14.73	6	7.29	8	28
330	110124000003249	1330	33	7.09	8	14.11	8	7.13	8	24
331	110124000002275	1331	34	5.12	18	12.88	10	8.56	15	43
332	110124000002740	1332	34	7.37	0	15.16	6	7	8	14
333	110124000003219	1333	34	6.33	10	14.65	6	6.29	6	22
334	110124000002134	1334	34	6.42	10	13.54	8	8.23	12	30
335	110124000002318	1335	34	5.54	14	13.2	10	8.6	15	39
336	110124000002259	1336	34	5.19	18	12.77	10	8.41	12	40
337	110124000002258	1337	34	5.5	16	13.52	8	7.23	8	32
338	110124000002909	1338	34	8.38	0	18.19	0	6.58	6	6
339	110124000003065	1339	34	6.27	12	13.45	10	6.44	6	28
340	110124000001912	1340	34	5.21	18	13.18	10	7.64	10	38
341	110124000001898	1341	35	7	8	14.22	8	8.76	15	31
342	110124000003092	1342	35	6.15	12	13.91	8	8.52	15	35
343	110124000002605	1343	35	6.12	12	13.46	10	8.65	15	37
344	110124000003098	1344	35	5.55	14	13.91	8	6.91	8	30
345	110124000001892	1345	35	6.24	12	14.14	8	7.03	8	28
346	110124000003259	1346	35	6.12	12	13.42	10	7.32	10	32
347	110124000002277	1347	35	7.34	0	13.99	8	8.6	15	23
348	110124000001913	1348	35	7.45	0	15.51	4	7.22	8	12
349	110124000002756	1349	35	6.34	10	13.48	10	6.54	6	26
350	110124000002842	1350	35	NA	0	18.1	0	5.62	5	5
351	110124000002891	1351	36	7.11	5	14.31	8	8.08	12	25
352	110124000003168	1352	36	5.32	16	12.87	10	8.24	12	38



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
353	110124000003170	1353	36	9.03	0	15.22	6	5.84	5	11
354	110124000002821	1354	36	6	14	12.26	12	7.33	10	36
355	110124000002822	1355	36	5.17	18	12.86	10	8.44	12	40
356	110124000002320	1356	36	6.3	12	16.42	4	5.82	5	21
357	110124000002825	1357	36	6.54	8	14.68	6	7.03	8	22
358	110124000002933	1358	36	6.06	14	15.04	6	5.52	5	25
359	110124000002403	1359	36	8.01	0	17.03	1	5.92	5	6
360	110124000002053	1360	36	7.02	8	14.6	6	6.75	8	22
361	110124000002976	1361	37	5.24	18	13.04	10	9.4	15	43
362	110124000002645	1362	37	6	14	13.03	10	8.03	12	36
363	110124000001931	1363	37	5.59	14	13.37	10	8.55	15	39
364	110124000001932	1364	37	7.11	5	15.04	6	7.47	10	21
365	110124000002918	1365	37	7.57	0	15.69	4	5.67	5	9
366	110124000002090	1366	37	6.26	12	13.93	8	6.04	5	25
367	110124000003006	1367	37	6	14	13.49	10	9.23	15	39
368	110124000002702	1368	37	6.14	12	12.69	10	7.74	10	32
369	110124000001993	1369	37	8.03	0	15.72	4	6.85	8	12
370	110124000002514	1370	37	7.29	5	13.75	8	8.07	12	25
371	110124000002515	1371	38	6.37	10	15.59	4	7.49	10	24
372	110124000002516	1372	38	6.1	14	13.68	8	6.85	8	30
373	110124000002675	1373	38	7.3	5	13.87	8	7.13	8	21
374	110124000002583	1374	38	7.35	0	16.68	1	8.75	15	16
375	110124000002763	1375	38	8.17	0	16.64	1	6.57	6	7
376	110124000003133	1376	38	7.43	0	18.81	0	5.31	4	4
377	110124000002114	1377	38	5.59	14	12.67	10	8.63	15	39
378	110124000001936	1378	38	NA	0	14.58	6	5.49	4	10
379	110124000002212	1379	38	5.57	14	13.92	8	7.34	10	32
380	110124000002813	1380	38	5.35	16	14.04	8	6.83	8	32
381	110124000002388	1381	39	7.17	5	16.77	1	6.8	8	14
382	110124000002402	1382	39	6.41	10	13.93	8	6.63	6	24
383	110124000002989	1383	39	6.38	10	15.32	6	6.95	8	24
384	110124000002897	1384	39	6.02	14	14.11	8	8.71	15	37
385	110124000003271	1385	39	5.58	14	14.09	8	7.66	10	32
386	110124000002146	1386	39	5.55	14	14.37	8	7.73	10	32
387	110124000002260	1387	39	6.43	10	16.34	4	7.66	10	24
388	110124000003167	1388	39	7.13	5	14.59	6	6.08	5	16
389	110124000003206	1389	39	5.46	16	13.31	10	8.34	12	38
390	110124000003205	1390	39	7.12	5	16.29	4	6.72	8	17
391	110124000002896	1391	40	7.3	5	14.61	6	9.4	15	26
392	110124000002903	1392	40	5.39	16	13.3	10	8.12	12	38
393	110124000002521	1393	40	6.08	14	13.93	8	6.73	8	30
394	110124000002119	1394	40	7.22	5	15.61	4	6.79	8	17
395	110124000002333	1395	40	8.1	0	14.73	6	7.38	10	16
396	110124000002428	1396	40	6.12	12	13.88	8	8.85	15	35



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
397	110124000002689	1397	40	NA	0	15.44	6	7.27	8	14
398	110124000003122	1398	40	7.1	8	14.23	8	7.87	10	26
399	110124000002726	1399	40	6.38	10	14.87	6	6.35	6	22
400	110124000002127	1400	40	7.18	5	13.33	10	10.07	15	30
401	110124000002358	1401	41	6.03	14	14.4	8	8.15	12	34
402	110124000002582	1402	41	6.24	12	14.32	8	7.45	10	30
403	110124000002193	1403	41	7.02	8	14.5	8	8.35	12	28
404	110124000002055	1404	41	8.5	0	15.62	4	6.3	6	10
405	110124000002098	1405	41	7.55	0	15.62	4	6.1	6	10
406	110124000002029	1406	41	9.07	0	15.99	4	7.29	8	12
407	110124000002470	1407	41	7.13	5	14.32	8	7.35	10	23
408	110124000002454	1408	41	7.16	5	15.03	6	6.62	6	17
409	110124000001925	1409	41	7.19	5	14.17	8	8.28	12	25
410	110124000003028	1410	41	6.22	12	13.6	8	7.04	8	28
411	110124000002805	1411	42	7.5	0	15.53	4	6.17	6	10
412	110124000002218	1412	42	6.56	8	18	0	6.69	6	14
413	110124000002500	1413	42	6.57	8	16.2	4	7.2	8	20
414	110124000002554	1414	42	6.36	10	15.14	6	7.05	8	24
415	110124000002274	1415	42	6.08	14	14.26	8	8.47	12	34
416	110124000002972	1416	42	6.55	8	15.19	6	7.89	10	24
417	110124000002820	1417	42	6.2	12	12.84	10	8.8	15	37
418	110124000002819	1418	42	5.54	14	13.32	10	8.78	15	39
419	110124000002284	1419	42	6.11	12	14.51	6	7.35	10	28
420	110124000002956	1420	42	7.19	5	15.17	6	8.81	15	26
421	110124000002268	1421	43	5.31	16	12.18	12	8.27	12	40
422	110124000002269	1422	43	5.27	18	13.08	10	8.37	12	40
423	110124000002939	1423	43	7.02	8	15.16	6	7.4	10	24
424	110124000002431	1424	43	6.37	10	15.23	6	5.55	5	21
425	110124000002007	1425	43	7.12	5	14.61	6	5.92	5	16
426	110124000002884	1426	43	6.44	10	15.38	6	6.23	6	22
427	110124000002025	1427	43	7.21	5	13.79	8	6.56	6	19
428	110124000002126	1428	43	NA	0	15.47	6	6.4	6	12
429	110124000002992	1429	43	6.37	10	14.74	6	7.2	8	24
430	110124000002391	1430	43	NA	0	16	4	8.05	12	16
431	110124000002986	1431	44	7.14	5	15.26	6	5.63	5	16
432	110124000002796	1432	44	7.59	0	15.26	6	7.66	10	16
433	110124000002652	1433	44	7.05	8	15.7	4	6.07	5	17
434	110124000003143	1434	44	6.15	12	14.71	6	6.47	6	24
435	110124000002706	1435	44	7.22	5	16	4	6.2	6	15
436	110124000003195	1436	44	6.57	8	14.46	8	6.62	6	22
437	110124000002162	1437	44	6.52	8	14.27	8	7.34	10	26
438	110124000002326	1438	44	7	8	13.03	10	8.07	12	30
439	110124000002450	1439	44	7.28	5	15.05	6	5.72	5	16
440	110124000002587	1440	44	5.33	16	13.78	8	8.12	12	36



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
441	110124000002666	1441	45	5.29	18	14.15	8	7.8	10	36
442	110124000002749	1442	45	5.54	14	13.72	8	5.54	5	27
443	110124000002595	1443	45	7.03	8	14.37	8	8.29	12	28
444	110124000002364	1444	45	5.59	14	13.97	8	7.95	12	34
445	110124000002133	1445	45	6.57	8	14.84	6	7.85	10	24
446	110124000002276	1446	45	6.17	12	14.29	8	7	8	28
447	110124000002135	1447	45	NA	0	17.01	1	6.47	6	7
448	110124000003046	1448	45	NA	0	15.63	4	7.16	8	12
449	110124000002351	1449	45	9.03	0	15.38	6	6.92	8	14
450	110124000002073	1450	45	8.27	0	14.61	6	5.3	4	10
451	110124000002733	1451	46	5.22	18	13.56	8	7.95	12	38
452	110124000002752	1452	46	6.41	10	14.2	8	6.65	6	24
453	110124000002455	1453	46	5.13	18	13.92	8	8.68	15	41
454	110124000002456	1454	46	5.59	14	12.85	10	8.18	12	36
455	110124000002811	1455	46	5.57	14	13.35	10	6.17	6	30
456	110124000002668	1456	46	7.1	8	13.76	8	8.64	15	31
457	110124000002659	1457	46	6.03	14	14.11	8	7.35	10	32
458	110124000001899	1458	46	5.27	18	12.67	10	7.46	10	38
459	110124000001979	1459	46	NA	0	15.88	4	6.67	6	10
460	110124000003276	1460	46	7.5	0	13.74	8	7.4	10	18
461	110124000002208	1461	47	7.36	0	14.56	6	7.61	10	16
462	110124000002755	1462	47	6.39	10	13.57	8	8.55	15	33
463	110124000003145	1463	47	NA	0	15.38	6	7.62	10	16
464	110124000002202	1464	47	5.29	18	13.63	8	6.68	6	32
465	110124000002610	1465	47	7	8	15.65	4	6.76	8	20
466	110124000002253	1466	47	5.41	16	14.12	8	6.46	6	30
467	110124000002164	1467	47	6.27	12	14.3	8	8.32	12	32
468	110124000002591	1468	47	5.35	16	13.23	10	7.72	10	36
469	110124000002720	1469	47	6.56	8	13.5	10	9.51	15	33
470	110124000002385	1470	47	6.22	12	13.61	8	7.65	10	30
471	110124000002851	1471	48	6.18	12	14.67	6	7.37	10	28
472	110124000003112	1472	48	5.47	16	13.75	8	8.7	15	39
473	110124000002125	1473	48	5.57	14	14.22	8	6.65	6	28
474	110124000001967	1474	48	6.34	10	14.71	6	6.12	6	22
475	110124000002550	1475	48	7.06	8	15.22	6	6.37	6	20
476	110124000003081	1476	48	5.58	14	14.34	8	8.1	12	34
477	110124000002930	1477	48	6.14	12	13.73	8	7.35	10	30
478	110124000002350	1478	48	7.22	5	14.78	6	7.6	10	21
479	110124000002495	1479	48	5.45	16	12.83	10	8.52	15	41
480	110124000002772	1480	48	8.42	0	17.18	1	6.25	6	7
481	110124000002248	1481	49	8.51	0	14.65	6	8.15	12	18
482	110124000002325	1482	49	9.02	0	14.84	6	6.38	6	12
483	110124000002140	1483	49	6.5	10	15	6	7.25	8	24
484	110124000002409	1484	49	7.38	0	14.7	6	7.72	10	16



NA - NOT ATTEMPTED

*[Handwritten signatures and initials in blue ink]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
485	110124000002047	1485	49	6.46	10	13.3	10	8.8	15	35
486	110124000002635	1486	49	7.22	5	14.64	6	6.28	6	17
487	110124000002665	1487	49	NA	0	18.35	0	5.7	5	5
488	110124000002997	1488	49	5.42	16	13.44	10	8	12	38
489	110124000002558	1489	49	7.39	0	13.89	8	6.66	6	14
490	110124000002185	1490	49	5.59	14	13.65	8	6.68	6	28
491	110124000002910	1491	50	7.08	8	14.45	8	7.2	8	24
492	110124000002400	1492	50	5.25	18	13.41	10	8.63	15	43
493	110124000002221	1493	50	5.36	16	12.27	12	9.16	15	43
494	110124000002911	1494	50	6.36	10	15.05	6	7.46	10	26
495	110124000002888	1495	50	6.39	10	14.26	8	8.5	15	33
496	110124000002319	1496	50	6.45	10	15.37	6	6.24	6	22
497	110124000002311	1497	50	7.17	5	14.42	8	NA	0	13
498	110124000002312	1498	50	7.2	5	13.85	8	8.55	15	28
499	110124000002205	1499	50	7.27	5	15.02	6	9.31	15	26
500	110124000002322	1500	50	NA	0	14.38	8	7.06	8	16
501	110124000002594	1501	51	NA	0	19.49	0	5.38	4	4
502	110124000003162	1502	51	8.52	0	16.84	1	6.44	6	7
503	110124000002584	1503	51	6.56	8	16.4	4	5.89	5	17
504	110124000003142	1504	51	9.13	0	15.66	4	8.15	12	16
505	110124000003137	1505	51	6	14	13.53	8	8.38	12	34
506	110124000003265	1506	51	7.19	5	15.81	4	6.42	6	15
507	110124000002544	1507	51	6.32	10	13.13	10	8.62	15	35
508	110124000002808	1508	51	7.51	0	15.66	4	6.89	8	12
509	110124000002051	1509	51	7.29	5	15.51	4	5.3	4	13
510	110124000002520	1510	51	6.33	10	14.25	8	8.33	12	30
511	110124000002623	1511	52	7.35	0	16.78	1	4.9	4	5
512	110124000002840	1512	52	6.26	12	13.35	10	8.48	12	34
513	110124000003017	1513	52	5.22	18	13.94	8	7.8	10	36
514	110124000002447	1514	52	6.54	8	14.17	8	7.7	10	26
515	110124000002328	1515	52	5.46	16	14.44	8	7.32	10	34
516	110124000002692	1516	52	6.5	10	13.73	8	6.27	6	24
517	110124000002990	1517	52	8.26	0	18.25	0	5.5	5	5
518	110124000002965	1518	52	7.12	5	14.98	6	8.6	15	26
519	110124000002925	1519	52	5.56	14	12.34	12	9.1	15	41
520	110124000002017	1520	52	5.49	16	13	10	8.15	12	38
521	110124000002190	1521	53	NA	0	17.52	0	5.6	5	5
522	110124000002589	1522	53	NA	0	15.38	6	7	8	14
523	110124000002760	1523	53	7.21	5	14.16	8	5.65	5	18
524	110124000002601	1524	53	7.05	8	16.11	4	5.82	5	17
525	110124000002184	1525	53	6.31	10	13.94	8	7.18	8	26
526	110124000003193	1526	53	7	8	14.77	6	8.2	12	26
527	110124000002890	1527	53	6.59	8	14.84	6	7.27	8	22
528	110124000002765	1528	53	7.04	8	14.65	6	8.45	12	26

NA - NOT ATTEMPTED

*[Handwritten signatures]*



**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
529	110124000002227	1529	53	NA	0	15.23	6	6.95	8	14
530	110124000002655	1530	53	9.51	0	16.58	1	6.47	6	7
531	110124000002138	1531	54	NA	0	16.32	4	6.98	8	12
532	110124000002295	1532	54	6.26	12	14.54	6	6.36	6	24
533	110124000002973	1533	54	5.38	16	13.12	10	8.29	12	38
534	110124000002209	1534	54	5.48	16	14.33	8	8.31	12	36
535	110124000003009	1535	54	NA	0	15.43	6	5.55	5	11
536	110124000003010	1536	54	5.49	16	12.96	10	8.91	15	41
537	110124000002286	1537	54	5.56	14	13.54	8	8.27	12	34
538	110124000002448	1538	54	8.44	0	16.36	4	7.93	12	16
539	110124000002529	1539	54	7.04	8	14.15	8	7.7	10	26
540	110124000002247	1540	54	NA	0	18.71	0	5.11	4	4
541	110124000002332	1541	55	6.28	12	13.74	8	9.37	15	35
542	110124000002458	1542	55	7.1	8	16.17	4	5.75	5	17
543	110124000002198	1543	55	5.5	16	14.63	6	8.08	12	34
544	110124000002691	1544	55	6.35	10	13.57	8	7.76	10	28
545	110124000002773	1545	55	8.14	0	13.96	8	6.5	6	14
546	110124000002786	1546	55	8.32	0	17.23	1	6.1	6	7
547	110124000002436	1547	55	7.03	8	14.76	6	7.97	12	26
548	110124000002437	1548	55	NA	0	15.49	6	7.57	10	16
549	110124000002438	1549	55	NA	0	14.3	8	8.95	15	23
550	110124000002700	1550	55	7.37	0	16.31	4	6.8	8	12
551	110124000002828	1551	56	6.58	8	16.61	1	6.74	8	17
552	110124000002768	1552	56	6.33	10	14.97	6	7.24	8	24
553	110124000002382	1553	56	7.02	8	14.87	6	6.73	8	22
554	110124000001476	1554	56	NA	0	16.95	1	5.48	4	5
555	110124000002920	1555	56	NA	0	15.99	4	6.84	8	12
556	110124000002816	1556	56	5.57	14	14.43	8	8.88	15	37
557	110124000001303	1557	56	6.31	10	14.27	8	7.98	12	30
558	110124000002614	1558	56	7.3	5	14.14	8	6.45	6	19
559	110124000002291	1559	56	6.14	12	14.27	8	8.42	12	32
560	110124000002800	1560	56	6.44	10	14.06	8	6.05	5	23
561	110124000002947	1561	57	NA	0	17.91	0	6.81	8	8
562	110124000002948	1562	57	5.58	14	13.77	8	7.94	12	34
563	110124000002663	1563	57	6.39	10	15.87	4	6.77	8	22
564	110124000003019	1564	57	6.12	12	13.42	10	7.1	8	30
565	110124000002708	1565	57	NA	0	13.36	10	8.63	15	25
566	110124000002777	1566	57	NA	0	16.23	4	7.1	8	12
567	110124000002250	1567	57	8.02	0	14.27	8	5.9	5	13
568	110124000002271	1568	57	5.22	18	12.38	12	9.4	15	45
569	110124000002880	1569	57	6.17	12	12.84	10	9.43	15	37
570	110124000002791	1570	57	9.17	0	18.35	0	5.88	5	5
571	110124000002506	1571	58	8.13	0	15.47	6	6.02	5	11
572	110124000002519	1572	58	8.51	0	16.99	1	5.25	4	5



NA - NOT ATTEMPTED

*[Handwritten signatures and initials]*

**SOLAPUR RURAL POLICE, POLICE CONSTABLE PHYSICAL TEST RESULT, DATE 13/02/2026**

SR.NO.	ROLL NUMBER	Chest No.	Detail no	1600 mtrs Time	1600 mtrs Mark	100 Mtrs Time	100 Mtrs Marks	ShotPut Distance	shotPut Mark	Total Physical
573	110124000002526	<b>1573</b>	58	8.25	0	14.74	6	7.46	10	<b>16</b>
574	110124000002606	<b>1574</b>	58	8.23	0	17.99	0	6.56	6	<b>6</b>
575	110124000002963	<b>1575</b>	58	7.25	5	13.57	8	7.58	10	<b>23</b>
576	110124000002421	<b>1576</b>	58	7.36	0	15.4	6	8.45	12	<b>18</b>
577	110124000002384	<b>1577</b>	58	6.53	8	14.15	8	6.98	8	<b>24</b>
578	110124000002479	<b>1578</b>	58	NA	0	14.19	8	6.11	6	<b>14</b>
579	110124000002778	<b>1579</b>	58	8.02	0	14.17	8	7.97	12	<b>20</b>
580	110124000002630	<b>1580</b>	58	6.31	10	16.2	4	5.82	5	<b>19</b>
581	110124000002648	<b>1581</b>	59	6.23	12	12.73	10	7.36	10	<b>32</b>
582	110124000002142	<b>1582</b>	59	5.09	20	13.28	10	9.26	15	<b>45</b>
583	110124000002637	<b>1583</b>	59	6.24	12	13.02	10	5.26	4	<b>26</b>
584	110124000001983	<b>1584</b>	59	4.48	20	14.32	8	8.41	12	<b>40</b>
585	110124000002788	<b>1585</b>	59	6.28	12	13.94	8	7.72	10	<b>30</b>
586	110124000002750	<b>1586</b>	59	6.11	12	13.04	10	7.31	10	<b>32</b>
587	110124000002723	<b>1587</b>	59	7.1	8	13.29	10	6.92	8	<b>26</b>
588	110124000002618	<b>1588</b>	59	7.09	8	14.78	6	7.74	10	<b>24</b>
589	110124000003260	<b>1589</b>	59	NA	0	14.23	8	7.93	12	<b>20</b>
590	110124000002219	<b>1590</b>	59	7.39	0	15.56	4	8.83	15	<b>19</b>
591	110124000001960	<b>1591</b>	59	6.23	12	14.04	8	7.44	10	<b>30</b>
592	110124000002412	<b>1592</b>	59	7.17	5	14.55	6	7.09	8	<b>19</b>
593	110124000001353	<b>1593</b>	59	6.05	14	13.94	8	6.65	6	<b>28</b>

*(Handwritten signatures)*

